

Model	Flow(Q)		Speed	output pressure	NPSHr	Efficiency	Motor	
	m3/h	L/min	RPM	Mpa	m	%	Power	model
KCB-18.3	1.1	18.3	1400	1.45	5	44	1.5	Y90L-4
2CY-1.1/1.45								
KCB-33.3	2	33.3	1420	1.45	5	44	2.2	Y100L1-4
2CY-2/1.45								
KCB-55	3.3	55	1400	0.33	7	41	1.5	Y90L-4
2CY-3.3/0.33								
KCB-83.3	5	83.3	1420	0.33	7	43	2.2	Y100L1-4
2CY-5/0.33								
KCB-135	8	135	940	0.33	5	46	2.2	Y112M-6
2CY-8/0.33								
KCB-200	12	200	1440	0.33	5	46	4	Y112M-4
2CY-12/0.33								
KCB-300	18	300	960	0.36	5	42	5.5	Y132M2-6
2CY-18/0.36								
KCB-483.3	29	483.3	1440	0.36	5.5	42	11	Y160M-4
2CY-29/0.36								
KCB-633	38	633	970	0.28	6	43	11	Y160L-6
2CY-38/0.28								
KCB-960	58	960	1470	0.28	6.5	43	18.5	Y180M-4
2CY-58/0.28								
KCB-1200	72	1200	740	0.6	7	43	37	Y280S-8
KCB-1600	95	1600	980				45	Y280S-6
KCB-1800	112	1800	740	0.6	7.5	43	55	Y315S-8
KCB-2500	150	2500	985				75	Y315S-6
KCB-2850	170	2850	740	0.6	8	44	90	Y315L1-8
KCB-3800	230	3800	989				110	Y315L1-6
KCB-4100	245	4100	743	0.6	8	44	132	Y355M1-8
KCB-5400	325	5400	989				160	Y355M1-6
KCB-5600	330	5600	744	0.6	8	44	160	Y355M2-8
KCB-7600	460	7600	989				200	Y355M3-6
KCB-7000	420	7000	744	0.6	8	44	185	Y355L1-8
KCB-9600	570	9600	989				250	Y355L2-6